

Expanded BRFSS, 2003

Westchester Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days 1
Core 2: Health Care Access 4
Core 3: Exercise 8
Core 4: Diabetes 9
Core 5: Asthma 10
Core 6: Arthritis 12
Core 7: Tobacco Use 14
Core 8: Tobacco ETS 17
Core 9: Alcohol Consumption 19
Core 10: Weight Status 21
Core 11: Mammography 23
Core 12: Sexual Behavior 25
Core 13: Family Planning 28
Core 14: Cardiovascular Disease 29
Core 15: Prostate Cancer Screening 31
Core 16: Colorectal Cancer Screening 37

New York State Department Of Health

Expanded BRFSS, 2003 - New York State Department of Health

Self-rated Health Status

Westchester

| Demographic Groups | n ¹ | Fair or Poor % ² | n | Good to Excellent % | C.I. ³ |
|--------------------|----------------|-----------------------------|-----|---------------------|-------------------|
| Total | 80 | 12.8 | 535 | 87.2 | 3.0 |
| Gender | | | | | |
| Male | 30 | 10.8 | 214 | 89.2 | 4.2 |
| Female | 50 | 14.6 | 321 | 85.4 | 4.3 |
| Age | | | | | |
| 18-34 | 12 | 9.4 | 106 | 90.6 | 5.6 |
| 35-54 | 22 | 9.7 | 248 | 90.3 | 4.4 |
| ≥55 | 45 | 20.5 | 169 | 79.5 | 6.1 |
| Education | | | | | |
| ≤High School | 44 | 24.5 | 133 | 75.5 | 7.5 |
| >High School | 36 | 8.0 | 397 | 92.0 | 2.7 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Physical Distress Days in the Past Month

Westchester

| Demographic Groups | n ¹ | ≥14 days % ² | n | < 14 days % | C.I. ³ |
|--------------------|----------------|-------------------------|-----|-------------|-------------------|
| Total | 55 | 7.7 | 550 | 92.3 | 2.2 |
| Gender | | | | | |
| Male | 14 | 4.6 | 224 | 95.4 | 2.6 |
| Female | 41 | 10.5 | 326 | 89.5 | 3.5 |
| Age | | | | | |
| 18-34 | 7 | 3.4 | 112 | 96.6 | 2.7 |
| 35-54 | 21 | 8.5 | 247 | 91.5 | 3.9 |
| ≥55 | 26 | 10.5 | 181 | 89.5 | 4.3 |
| Education | | | | | |
| ≤High School | 22 | 11.1 | 151 | 88.9 | 5.1 |
| >High School | 33 | 6.4 | 395 | 93.6 | 2.4 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Mental Distress Days in the Past Month

Westchester

| Demographic Groups | n ¹ | ≥14 days % ² | n | < 14 days % | C.I. ³ |
|--------------------|----------------|-------------------------|-----|-------------|-------------------|
| Total | 56 | 9.3 | 551 | 90.7 | 2.7 |
| Gender | | | | | |
| Male | 20 | 8.3 | 221 | 91.7 | 4.0 |
| Female | 36 | 10.2 | 330 | 89.8 | 3.6 |
| Age | | | | | |
| 18-34 | 21 | 14.7 | 98 | 85.3 | 6.6 |
| 35-54 | 20 | 8.3 | 246 | 91.7 | 4.1 |
| ≥55 | 15 | 6.3 | 194 | 93.7 | 3.4 |
| Education | | | | | |
| ≤High School | 15 | 9.0 | 160 | 91.0 | 5.2 |
| >High School | 41 | 9.5 | 386 | 90.5 | 3.2 |

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent

³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, 18-64 Years of Age

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|----|------|-------------------|
| Total | 401 | 82.9 | 66 | 17.1 | 4.5 |
| Gender | | | | | |
| Male | 158 | 80.0 | 34 | 20.0 | 7.2 |
| Female | 243 | 85.6 | 32 | 14.4 | 5.2 |
| Age | | | | | |
| 18-34 | 89 | 72.2 | 31 | 27.8 | 9.8 |
| 35-54 | 241 | 85.9 | 31 | 14.1 | 5.3 |
| 55-64 | 71 | 97.3 | 4 | 2.7 | 2.8 |
| Education | | | | | |
| ≤High School | 89 | 68.8 | 28 | 31.2 | 10.6 |
| >High School | 310 | 87.8 | 38 | 12.2 | 4.5 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, Aged 18 and Older

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|----|------|-------------------|
| Total | 549 | 85.4 | 71 | 14.6 | 3.7 |
| Gender | | | | | |
| Male | 210 | 83.3 | 34 | 16.7 | 6.2 |
| Female | 339 | 87.3 | 37 | 12.7 | 4.3 |
| Age | | | | | |
| 18-34 | 89 | 72.2 | 31 | 27.8 | 9.8 |
| 35-54 | 241 | 85.9 | 31 | 14.1 | 5.3 |
| ≥55 | 209 | 97.3 | 6 | 2.7 | 2.8 |
| Education | | | | | |
| ≤High School | 148 | 75.6 | 31 | 24.4 | 8.3 |
| >High School | 396 | 89.5 | 40 | 10.5 | 3.8 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Having a Routine Physical Exam in Past Two Years

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|----|------|-------------------|
| Total | 563 | 91.3 | 53 | 8.7 | 2.6 |
| Gender | | | | | |
| Male | 216 | 89.7 | 27 | 10.3 | 4.2 |
| Female | 347 | 92.7 | 26 | 7.3 | 3.1 |
| Age | | | | | |
| 18-34 | 107 | 92.3 | 12 | 7.7 | 4.7 |
| 35-54 | 241 | 87.1 | 29 | 12.9 | 4.9 |
| ≥55 | 204 | 96.4 | 10 | 3.6 | 2.4 |
| Education | | | | | |
| ≤High School | 167 | 94.4 | 8 | 5.6 | 4.1 |
| >High School | 391 | 89.9 | 45 | 10.1 | 3.3 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Time in Past 12 Months when Needed Medical Care but Could Not Get It

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|-----|------|-------------------|
| Total | 41 | 7.4 | 577 | 92.6 | 2.4 |
| Gender | | | | | |
| Male | 13 | 6.1 | 230 | 93.9 | 3.5 |
| Female | 28 | 8.7 | 347 | 91.3 | 3.4 |
| Age | | | | | |
| 18-34 | 18 | 12.8 | 101 | 87.2 | 6.1 |
| 35-54 | 17 | 7.4 | 254 | 92.6 | 3.9 |
| ≥55 | 5 | 2.8 | 210 | 97.2 | 2.5 |
| Education | | | | | |
| ≤High School | 12 | 8.0 | 165 | 92.0 | 5.0 |
| >High School | 28 | 7.0 | 408 | 93.0 | 2.8 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 481 | 80.1 | 139 | 19.9 | 3.6 |
| Gender | | | | | |
| Male | 204 | 86.3 | 40 | 13.7 | 4.9 |
| Female | 277 | 74.7 | 99 | 25.3 | 5.0 |
| Age | | | | | |
| 18-34 | 97 | 82.8 | 23 | 17.2 | 7.9 |
| 35-54 | 219 | 81.7 | 53 | 18.3 | 5.1 |
| ≥55 | 155 | 75.5 | 60 | 24.5 | 6.2 |
| Education | | | | | |
| ≤High School | 105 | 61.7 | 74 | 38.3 | 8.4 |
| >High School | 371 | 87.8 | 65 | 12.2 | 3.2 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Diabetes

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|-----|------|-------------------|
| Total | 34 | 4.8 | 586 | 95.2 | 1.8 |
| Gender | | | | | |
| Male | 16 | 4.8 | 228 | 95.2 | 2.5 |
| Female | 18 | 4.8 | 358 | 95.2 | 2.7 |
| Age | | | | | |
| 18-34 | 1 | 0.4 | 119 | 99.6 | 0.8 |
| 35-54 | 10 | 4.8 | 262 | 95.2 | 3.3 |
| ≥55 | 23 | 9.1 | 192 | 90.9 | 3.9 |
| Education | | | | | |
| ≤High School | 13 | 5.2 | 166 | 94.8 | 3.3 |
| >High School | 21 | 4.7 | 415 | 95.3 | 2.3 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lifetime Asthma Diagnosed by a Medical Professional

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|-----|------|-------------------|
| Total | 65 | 10.5 | 554 | 89.5 | 2.8 |
| Gender | | | | | |
| Male | 23 | 9.0 | 221 | 91.0 | 4.0 |
| Female | 42 | 11.8 | 333 | 88.2 | 4.0 |
| Age | | | | | |
| 18-34 | 23 | 18.4 | 97 | 81.6 | 7.7 |
| 35-54 | 20 | 7.0 | 252 | 93.0 | 3.5 |
| ≥55 | 22 | 8.7 | 192 | 91.3 | 3.9 |
| Education | | | | | |
| ≤High School | 18 | 6.7 | 160 | 93.3 | 3.4 |
| >High School | 47 | 12.2 | 389 | 87.8 | 3.7 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Asthma Diagnosed by a Medical Professional

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|-----|------|-------------------|
| Total | 46 | 7.5 | 572 | 92.5 | 2.4 |
| Gender | | | | | |
| Male | 11 | 4.4 | 232 | 95.6 | 3.0 |
| Female | 35 | 10.2 | 340 | 89.8 | 3.7 |
| Age | | | | | |
| 18-34 | 15 | 12.5 | 104 | 87.5 | 6.6 |
| 35-54 | 14 | 5.0 | 258 | 95.0 | 3.1 |
| ≥55 | 17 | 6.9 | 197 | 93.1 | 3.5 |
| Education | | | | | |
| ≤High School | 16 | 5.9 | 162 | 94.1 | 3.2 |
| >High School | 30 | 8.2 | 405 | 91.8 | 3.2 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health
Arthritis Diagnosed by a Medical Professional
Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 159 | 22.7 | 460 | 77.3 | 3.6 |
| Gender | | | | | |
| Male | 52 | 16.9 | 192 | 83.1 | 4.9 |
| Female | 107 | 27.8 | 268 | 72.2 | 5.2 |
| Age | | | | | |
| 18-34 | 9 | 7.0 | 111 | 93.0 | 4.8 |
| 35-54 | 50 | 17.6 | 222 | 82.4 | 5.2 |
| ≥55 | 93 | 42.8 | 121 | 57.2 | 7.6 |
| Education | | | | | |
| ≤High School | 47 | 23.5 | 131 | 76.5 | 6.9 |
| >High School | 111 | 22.3 | 325 | 77.7 | 4.3 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Westchester

| Demographic Groups | n ¹ | Doctor Diagnosed % ² | C.I. ³ | n | Possible Arthritis (CJS Only) % | C.I. | n | No Arthritis or CJS % | C.I. |
|--------------------|----------------|---------------------------------|-------------------|-----|---------------------------------|------|-----|-----------------------|------|
| Total | 159 | 23.0 | 3.7 | 109 | 18.7 | 3.7 | 345 | 58.3 | 4.5 |
| Gender | | | | | | | | | |
| Male | 52 | 17.3 | 5.0 | 47 | 19.4 | 5.8 | 141 | 63.3 | 6.9 |
| Female | 107 | 28.0 | 5.2 | 62 | 18.0 | 4.7 | 204 | 54.0 | 5.9 |
| Age | | | | | | | | | |
| 18-34 | 9 | 7.1 | 4.9 | 22 | 17.8 | 8.0 | 87 | 75.1 | 8.9 |
| 35-54 | 50 | 17.9 | 5.3 | 51 | 19.7 | 5.4 | 168 | 62.4 | 6.6 |
| ≥55 | 93 | 43.1 | 7.6 | 36 | 18.9 | 6.3 | 84 | 38.0 | 7.6 |
| Education | | | | | | | | | |
| ≤High School | 47 | 23.7 | 6.9 | 32 | 20.4 | 7.4 | 98 | 55.9 | 8.6 |
| >High School | 111 | 22.7 | 4.4 | 77 | 18.1 | 4.2 | 243 | 59.3 | 5.4 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Smoked 100 Cigarettes in Lifetime

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 286 | 45.1 | 329 | 54.9 | 4.6 |
| Gender | | | | | |
| Male | 111 | 45.9 | 132 | 54.1 | 7.3 |
| Female | 175 | 44.4 | 197 | 55.6 | 5.9 |
| Age | | | | | |
| 18-34 | 48 | 36.7 | 71 | 63.3 | 10.2 |
| 35-54 | 117 | 43.1 | 155 | 56.9 | 6.8 |
| ≥55 | 116 | 56.0 | 96 | 44.0 | 7.6 |
| Education | | | | | |
| ≤High School | 85 | 44.6 | 92 | 55.4 | 8.5 |
| >High School | 200 | 45.4 | 233 | 54.6 | 5.6 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Smoker

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 108 | 19.0 | 507 | 81.0 | 3.9 |
| Gender | | | | | |
| Male | 49 | 21.6 | 194 | 78.4 | 6.4 |
| Female | 59 | 16.7 | 313 | 83.3 | 4.7 |
| Age | | | | | |
| 18-34 | 28 | 23.9 | 91 | 76.1 | 9.6 |
| 35-54 | 55 | 20.4 | 217 | 79.6 | 5.6 |
| ≥55 | 25 | 13.4 | 187 | 86.6 | 5.5 |
| Education | | | | | |
| ≤High School | 36 | 18.6 | 141 | 81.4 | 6.3 |
| >High School | 71 | 19.1 | 362 | 80.9 | 4.9 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Status of Cigarette Smoking*Westchester*

| Demographic Groups | n¹ | Everyday Smoker %² | C.I.³ | n | Someday Smoker % | C.I. | n | Former or Never Smoked % | C.I. |
|---------------------------|----------------------|--------------------------------------|-------------------------|----------|-------------------------|-------------|----------|---------------------------------|-------------|
| Total | 68 | 11.3 | 3.0 | 40 | 7.7 | 2.9 | 507 | 81.0 | 3.9 |
| Gender | | | | | | | | | |
| Male | 30 | 11.0 | 4.2 | 19 | 10.6 | 5.4 | 194 | 78.4 | 6.4 |
| Female | 38 | 11.6 | 4.3 | 21 | 5.1 | 2.5 | 313 | 83.3 | 4.7 |
| Age | | | | | | | | | |
| 18-34 | 17 | 14.9 | 7.7 | 11 | 9.0 | 7.2 | 91 | 76.1 | 9.6 |
| 35-54 | 40 | 14.2 | 4.7 | 15 | 6.2 | 3.7 | 217 | 79.6 | 5.6 |
| ≥55 | 11 | 4.3 | 2.7 | 14 | 9.1 | 5.1 | 187 | 86.6 | 5.5 |
| Education | | | | | | | | | |
| ≤High School | 23 | 12.3 | 5.3 | 13 | 6.3 | 3.9 | 141 | 81.4 | 6.3 |
| >High School | 45 | 11.0 | 3.7 | 26 | 8.1 | 3.8 | 362 | 80.9 | 4.9 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking Policies

Westchester

| Demographic Groups | n¹ | Not Allowed %² | C.I.³ | n | Allowed Some Places % | C.I. | n | Allowed Anywhere % | C.I. |
|---------------------------|----------------------|----------------------------------|-------------------------|----------|------------------------------|-------------|----------|---------------------------|-------------|
| Total | 444 | 72.5 | 4.2 | 64 | 11.1 | 3.2 | 107 | 16.4 | 3.3 |
| Gender | | | | | | | | | |
| Male | 163 | 70.3 | 6.8 | 20 | 9.7 | 5.1 | 58 | 20.0 | 5.6 |
| Female | 281 | 74.4 | 5.2 | 44 | 12.3 | 4.0 | 49 | 13.2 | 3.9 |
| Age | | | | | | | | | |
| 18-34 | 83 | 68.6 | 10.2 | 14 | 12.7 | 7.9 | 22 | 18.7 | 8.3 |
| 35-54 | 202 | 74.5 | 6.0 | 33 | 12.1 | 4.8 | 36 | 13.4 | 4.5 |
| ≥55 | 150 | 73.6 | 6.4 | 15 | 7.9 | 4.1 | 47 | 18.6 | 5.4 |
| Education | | | | | | | | | |
| ≤High School | 122 | 69.5 | 8.0 | 18 | 10.2 | 5.1 | 36 | 20.4 | 7.1 |
| >High School | 317 | 73.6 | 5.0 | 46 | 11.6 | 4.0 | 71 | 14.8 | 3.7 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 95 | 15.7 | 524 | 84.3 | 3.6 |
| Gender | | | | | |
| Male | 38 | 15.6 | 205 | 84.4 | 5.7 |
| Female | 57 | 15.7 | 319 | 84.3 | 4.5 |
| Age | | | | | |
| 18-34 | 30 | 24.7 | 90 | 75.3 | 9.4 |
| 35-54 | 41 | 14.0 | 230 | 86.0 | 4.8 |
| ≥55 | 23 | 10.2 | 192 | 89.8 | 4.3 |
| Education | | | | | |
| ≤High School | 32 | 16.1 | 147 | 83.9 | 5.9 |
| >High School | 63 | 15.6 | 372 | 84.4 | 4.5 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|-----|------|-------------------|
| Total | 61 | 12.1 | 550 | 87.9 | 3.4 |
| Gender | | | | | |
| Male | 48 | 21.4 | 191 | 78.6 | 6.4 |
| Female | 13 | 4.1 | 359 | 95.9 | 2.6 |
| Age | | | | | |
| 18-34 | 22 | 20.7 | 96 | 79.3 | 9.1 |
| 35-54 | 30 | 13.0 | 240 | 87.0 | 5.0 |
| ≥55 | 9 | 3.7 | 202 | 96.3 | 2.5 |
| Education | | | | | |
| ≤High School | 15 | 11.3 | 158 | 88.7 | 6.0 |
| >High School | 45 | 12.4 | 388 | 87.6 | 4.1 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|-----|------|-------------------|
| Total | 15 | 2.5 | 596 | 97.5 | 1.4 |
| Gender | | | | | |
| Male | 6 | 1.7 | 232 | 98.3 | 1.4 |
| Female | 9 | 3.1 | 364 | 96.9 | 2.2 |
| Age | | | | | |
| 18-34 | 3 | 1.8 | 116 | 98.2 | 2.1 |
| 35-54 | 7 | 2.1 | 261 | 97.9 | 1.7 |
| ≥55 | 5 | 3.7 | 207 | 96.3 | 3.4 |
| Education | | | | | |
| ≤High School | 5 | 3.1 | 169 | 96.9 | 3.1 |
| >High School | 9 | 2.1 | 423 | 97.9 | 1.4 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 307 | 53.6 | 282 | 46.4 | 4.7 |
| Gender | | | | | |
| Male | 149 | 61.6 | 91 | 38.4 | 7.1 |
| Female | 158 | 46.2 | 191 | 53.8 | 6.1 |
| Age | | | | | |
| 18-34 | 49 | 40.5 | 67 | 59.5 | 10.5 |
| 35-54 | 138 | 57.5 | 119 | 42.5 | 6.8 |
| ≥55 | 118 | 61.1 | 87 | 38.9 | 7.5 |
| Education | | | | | |
| ≤High School | 95 | 59.4 | 73 | 40.6 | 8.5 |
| >High School | 210 | 51.3 | 206 | 48.7 | 5.7 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)

Westchester

| Demographic Groups | n ¹ | Underweight\ Normal % ² | C.I. ³ | n | Overweight % | C.I. | n | Obese % | C.I. |
|--------------------|----------------|--|-------------------|-----|-----------------|------|----|------------|------|
| Total | 282 | 46.4 | 4.7 | 213 | 38.2 | 4.7 | 94 | 15.4 | 3.3 |
| Gender | | | | | | | | | |
| Male | 91 | 38.4 | 7.1 | 111 | 47.2 | 7.4 | 38 | 14.4 | 4.7 |
| Female | 191 | 53.8 | 6.1 | 102 | 29.8 | 5.6 | 56 | 16.4 | 4.6 |
| Age | | | | | | | | | |
| 18-34 | 67 | 59.5 | 10.5 | 35 | 29.5 | 9.9 | 14 | 11.0 | 6.3 |
| 35-54 | 119 | 42.5 | 6.8 | 94 | 39.9 | 7.0 | 44 | 17.6 | 5.3 |
| ≥55 | 87 | 38.9 | 7.5 | 83 | 44.6 | 8.0 | 35 | 16.5 | 5.7 |
| Education | | | | | | | | | |
| ≤High School | 73 | 40.6 | 8.5 | 61 | 38.2 | 8.8 | 34 | 21.2 | 7.2 |
| >High School | 206 | 48.7 | 5.7 | 150 | 38.1 | 5.6 | 60 | 13.2 | 3.6 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Mammography Screening, Women Aged 40 Years and Older

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Female | 233 | 91.7 | 23 | 8.3 | 3.9 |
| Age | | | | | |
| 40-64 | 148 | 89.6 | 18 | 10.4 | 5.5 |
| ≥65 | 85 | 96.1 | 5 | 3.9 | 3.5 |
| Education | | | | | |
| ≤High School | 73 | 89.0 | 9 | 11.0 | 8.4 |
| >High School | 157 | 93.2 | 14 | 6.8 | 3.8 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Female | 204 | 79.3 | 50 | 20.7 | 6.0 |
| Age | | | | | |
| 40-64 | 129 | 75.4 | 36 | 24.6 | 8.1 |
| ≥65 | 75 | 87.1 | 14 | 12.9 | 6.8 |
| Education | | | | | |
| ≤High School | 66 | 77.7 | 15 | 22.3 | 11.5 |
| >High School | 135 | 80.0 | 35 | 20.0 | 6.7 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 78 | 19.5 | 371 | 80.5 | 4.8 |
| Gender | | | | | |
| Male | 25 | 18.7 | 162 | 81.3 | 7.5 |
| Female | 53 | 20.3 | 209 | 79.7 | 5.9 |
| Age | | | | | |
| 18-34 | 42 | 34.4 | 76 | 65.6 | 10.4 |
| 35-54 | 30 | 11.9 | 230 | 88.1 | 4.6 |
| 55-64 | 6 | 11.8 | 65 | 88.2 | 11.6 |
| Education | | | | | |
| ≤High School | 29 | 23.5 | 81 | 76.5 | 9.3 |
| >High School | 49 | 18.1 | 289 | 81.9 | 5.6 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Sexually Active, Age 18-64 Years Old

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 344 | 82.6 | 75 | 17.4 | 4.8 |
| Gender | | | | | |
| Male | 148 | 84.1 | 25 | 15.9 | 7.6 |
| Female | 196 | 81.2 | 50 | 18.8 | 5.9 |
| Age | | | | | |
| 18-34 | 96 | 79.0 | 15 | 21.0 | 10.7 |
| 35-54 | 203 | 86.9 | 35 | 13.1 | 4.9 |
| 55-64 | 45 | 76.1 | 25 | 23.9 | 10.2 |
| Education | | | | | |
| ≤High School | 76 | 72.9 | 27 | 27.1 | 11.0 |
| >High School | 267 | 86.0 | 47 | 14.0 | 5.1 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|-----|------|-------------------|
| Total | 99 | 28.0 | 251 | 72.0 | 5.7 |
| Gender | | | | | |
| Male | 50 | 32.0 | 101 | 68.0 | 8.8 |
| Female | 49 | 24.0 | 150 | 76.0 | 7.1 |
| Age | | | | | |
| 18-34 | 48 | 46.5 | 54 | 53.5 | 11.3 |
| 35-54 | 47 | 20.2 | 155 | 79.8 | 6.1 |
| 55-64 | 4 | 8.9 | 42 | 91.1 | 10.0 |
| Education | | | | | |
| ≤High School | 24 | 25.6 | 58 | 74.4 | 10.3 |
| >High School | 75 | 28.9 | 192 | 71.1 | 6.7 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Westchester

| Demographic Groups | Use BC | | | No BC at risk | | | No BC | | |
|--------------------|----------------|----------------|-------------------|---------------|------|------|-------|------|------|
| | n ¹ | % ² | C.I. ³ | n | % | C.I. | n | % | C.I. |
| Total | 177 | 58.9 | 6.6 | 47 | 14.6 | 4.3 | 74 | 26.5 | 6.3 |
| Gender | | | | | | | | | |
| Male | 89 | 57.3 | 9.2 | 24 | 15.2 | 6.1 | 42 | 27.5 | 8.8 |
| Female | 88 | 61.1 | 9.3 | 23 | 13.7 | 5.8 | 32 | 25.1 | 8.5 |
| Age | | | | | | | | | |
| 18-34 | 70 | 57.4 | 10.9 | 9 | 7.0 | 4.8 | 36 | 35.6 | 10.9 |
| 35-59 | 107 | 60.2 | 8.0 | 38 | 21.2 | 6.6 | 38 | 18.7 | 6.2 |
| Education | | | | | | | | | |
| ≤High School | 40 | 58.0 | 14.0 | 10 | 10.5 | 7.4 | 19 | 31.5 | 13.8 |
| >High School | 137 | 59.4 | 7.5 | 36 | 15.6 | 5.1 | 55 | 25.1 | 7.0 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Heart Attack, Angina or Stroke

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 47 | 7.1 | 559 | 92.9 | 2.3 |
| Gender | | | | | |
| Male | 23 | 8.7 | 219 | 91.3 | 4.0 |
| Female | 24 | 5.7 | 340 | 94.3 | 2.5 |
| Age | | | | | |
| 18-64 | 14 | 3.5 | 442 | 96.5 | 2.1 |
| ≥65 | 33 | 23.2 | 106 | 76.8 | 7.7 |
| Education | | | | | |
| ≤High School | 22 | 10.8 | 151 | 89.2 | 4.9 |
| >High School | 25 | 5.6 | 403 | 94.4 | 2.6 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 39 | 6.4 | 567 | 93.6 | 2.2 |
| Gender | | | | | |
| Male | 22 | 8.6 | 220 | 91.4 | 3.9 |
| Female | 17 | 4.4 | 347 | 95.6 | 2.3 |
| Age | | | | | |
| 18-64 | 12 | 3.2 | 444 | 96.8 | 2.0 |
| ≥65 | 27 | 20.2 | 112 | 79.8 | 7.5 |
| Education | | | | | |
| ≤High School | 17 | 9.4 | 156 | 90.6 | 4.7 |
| >High School | 22 | 5.1 | 406 | 94.9 | 2.5 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Male | 93 | 67.0 | 48 | 33.0 | 8.6 |
| Age | | | | | |
| 40-64 | 49 | 55.4 | 43 | 44.6 | 11.4 |
| ≥65 | 44 | 92.6 | 5 | 7.4 | 6.7 |
| Education | | | | | |
| ≤High School | 18 | 67.6 | 11 | 32.4 | 17.8 |
| >High School | 74 | 66.5 | 37 | 33.5 | 9.9 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|----|------|-------------------|
| Male | 83 | 62.3 | 56 | 37.7 | 8.9 |
| Age | | | | | |
| 40-64 | 45 | 52.2 | 47 | 47.8 | 11.5 |
| ≥65 | 38 | 85.5 | 9 | 14.5 | 9.6 |
| Education | | | | | |
| ≤High School | 17 | 64.2 | 12 | 35.8 | 18.3 |
| >High School | 66 | 61.8 | 44 | 38.2 | 10.2 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Westchester

| Demographic Groups | n ¹ | Yes % ² | n | No % | C.I. ³ |
|--------------------|----------------|--------------------|----|------|-------------------|
| Male | 126 | 83.4 | 24 | 16.6 | 6.6 |
| Age | | | | | |
| 40-64 | 83 | 79.2 | 20 | 20.8 | 8.7 |
| ≥65 | 43 | 93.9 | 4 | 6.1 | 6.2 |
| Education | | | | | |
| ≤High School | 28 | 88.5 | 5 | 11.5 | 10.3 |
| >High School | 98 | 81.9 | 19 | 18.1 | 7.9 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 114 | 43.3 | 156 | 56.7 | 6.9 |
| Gender | | | | | |
| Male | 50 | 50.3 | 50 | 49.7 | 11.3 |
| Female | 64 | 38.0 | 106 | 62.0 | 8.4 |
| Age | | | | | |
| 50-64 | 48 | 38.4 | 84 | 61.6 | 9.9 |
| ≥65 | 66 | 48.6 | 72 | 51.4 | 9.3 |
| Education | | | | | |
| ≤High School | 31 | 35.4 | 59 | 64.6 | 11.1 |
| >High School | 81 | 47.0 | 96 | 53.0 | 8.6 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 62 | 24.5 | 208 | 75.5 | 6.0 |
| Gender | | | | | |
| Male | 32 | 32.0 | 68 | 68.0 | 10.5 |
| Female | 30 | 18.8 | 140 | 81.2 | 6.7 |
| Age | | | | | |
| 50-64 | 23 | 19.2 | 109 | 80.8 | 8.1 |
| ≥65 | 39 | 30.3 | 99 | 69.7 | 8.7 |
| Education | | | | | |
| ≤High School | 21 | 25.8 | 69 | 74.2 | 10.4 |
| >High School | 41 | 24.1 | 136 | 75.9 | 7.4 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 79 | 29.5 | 191 | 70.5 | 6.2 |
| Gender | | | | | |
| Male | 37 | 36.7 | 63 | 63.3 | 10.8 |
| Female | 42 | 24.1 | 128 | 75.9 | 7.2 |
| Age | | | | | |
| 50-64 | 29 | 23.3 | 103 | 76.7 | 8.5 |
| ≥65 | 50 | 36.4 | 88 | 63.6 | 9.0 |
| Education | | | | | |
| ≤High School | 24 | 27.9 | 66 | 72.1 | 10.5 |
| >High School | 54 | 30.2 | 123 | 69.8 | 7.8 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 163 | 61.9 | 106 | 38.1 | 6.8 |
| Gender | | | | | |
| Male | 70 | 72.5 | 29 | 27.5 | 10.4 |
| Female | 93 | 54.2 | 77 | 45.8 | 8.7 |
| Age | | | | | |
| 50-64 | 72 | 55.2 | 60 | 44.8 | 10.2 |
| ≥65 | 91 | 69.6 | 46 | 30.4 | 8.4 |
| Education | | | | | |
| ≤High School | 48 | 56.1 | 41 | 43.9 | 11.7 |
| >High School | 114 | 65.2 | 63 | 34.8 | 8.4 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 154 | 59.7 | 112 | 40.3 | 6.9 |
| Gender | | | | | |
| Male | 65 | 69.3 | 33 | 30.7 | 10.7 |
| Female | 89 | 52.9 | 79 | 47.1 | 8.8 |
| Age | | | | | |
| 50-64 | 71 | 54.3 | 60 | 45.7 | 10.2 |
| ≥65 | 83 | 65.9 | 52 | 34.1 | 8.7 |
| Education | | | | | |
| ≤High School | 46 | 54.5 | 43 | 45.5 | 11.7 |
| >High School | 107 | 62.8 | 67 | 37.2 | 8.6 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Westchester

| Demographic Groups | n¹ | Yes %² | n | No % | C.I.³ |
|---------------------------|----------------------|--------------------------|----------|-------------|-------------------------|
| Total | 170 | 63.2 | 100 | 36.8 | 6.8 |
| Gender | | | | | |
| Male | 71 | 70.5 | 29 | 29.5 | 10.8 |
| Female | 99 | 57.7 | 71 | 42.3 | 8.7 |
| Age | | | | | |
| 50-64 | 75 | 56.3 | 57 | 43.7 | 10.2 |
| ≥65 | 95 | 70.9 | 43 | 29.1 | 8.5 |
| Education | | | | | |
| ≤High School | 54 | 61.0 | 36 | 39.0 | 11.6 |
| >High School | 115 | 64.7 | 62 | 35.3 | 8.5 |

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval